

| Category | Credit # | Credit Title | Points | Contributing LEED points |
|------------------------------|----------|--|----------|--------------------------|
| Sustainable Sites | Prereq1 | Construction Activity Pollution Prevention | required | |
| | 1 | Site Selection | 1 | |
| | 2 | Development Density & Community Connectivity | 1 | |
| | 3 | Redevelopment | 1 | |
| | 4.1 | Alternative Transportation: Public Transportation Access | 1 | |
| | 4.2 | Alternative Transportation: Bicycle Storage & Changing Rooms | 1 | |
| | 4.3 | Alterative Transportation: Low Emitting & Fuel Efficient Vehicles | 1 | |
| | 4.4 | Alterative Transportation: Parking Capacity | 1 | |
| | 5.1 | Site Development: Protect or Restore Habitat Site Development: Maximize Open Space | 1 | |
| | 6.1 | Storm water Design: Quantity Control | 1 | |
| | 6.2 | Storm water Design: Quality Control | 1 | |
| | 7.1 | Heat Island Effect: Non-Roof | 1 | |
| | 7.2 | Heat Island Effect: Roof | 1 | |
| | 8 | Light Pollution Reduction | 1 | |
| Water Efficiency | 1.1 | Water Efficient Landscaping: Reduce B 50% | 1 | |
| | 1.2 | Water Efficient Landscaping: No Potable Water Use Or No Irrigation | 1 | |
| | 2.2 | Innovative Wastewater Technologies | 1 | |
| | 3.1 | Water Use Reduction: 20% Reduction | 1 | |
| | 3.2 | Water Use Reduction: 30% Reduction | 1 | |
| Energy & Atmosphere | Prereq1 | Fundamental Commissioning Of The Building Energy Systems | Required | X |
| | Prereq2 | Minimum Energy Performance | Required | X |
| | Prereq3 | Fundamental Refrigerant Management | Required | X |
| | 1 | Optimize Energy Performance: 10.5% NB or 3.5% EB | 1 | X |
| | 1 | Optimize Energy Performance: 14% NB or 7% EB | 1 | X |
| | 1 | Optimize Energy Performance: 17.5% NB or 10.5% EB | 1 | X |
| | 1 | Optimize Energy Performance: 21% NB or 14% EB | 1 | X |
| | 1 | Optimized Energy Performance: 24.5% NB or 17.5% EB | 1 | X |
| | 1 | Optimize Energy Performance: 28% NB or 21% EB | 1 | X |
| | 1 | Optimize Energy Performance: 31.5% NB or 24.5% EB | 1 | X |
| | 1 | Optimize Energy Performance: 35% NB or 28% EB | 1 | X |
| | 1 | Optimize Energy Performance: 38.5% NB or 31.5% EB | 1 | X |
| | 1 | Optimize Energy Performance 42% NB or 35% E6 | 1 | X |
| | 2 | On-Site Renewable Energy: 2.5% Renewable Energy | 1 | X |
| | 2 | On-Site Renewable Energy 7.5% Renewable Energy | 1 | |
| | 2 | On-Site Renewable Energy: 12.5% Renewable Energy | 1 | |
| | 3 | Enhanced Commissioning Walls, Floors & Roof | 1 | |
| | 4 | Enhanced Refrigeration Management | 1 | |
| | 5 | Measurement & Verification | 1 | X |
| | 6 | Green Power | 1 | X |
| Materials & Resources | Prereq1 | Storage & Collection Of Recyclables | Required | |
| | 1.1 | Building Reuse: Maintain 75% Of Existing | 1 | |
| | 1.2 | Building Reuse: Maintain 95% Of Existing Walls, Floors & Roof | 1 | |
| | 1.3 | Building Reuse: Maintain 50% Of Interior Non-Structural Elements | 1 | |
| | 2.1 | Construction Waste Management: Divert 50% From Disposal | 1 | X |
| | 2.2 | Construction Waste Management: Divert 75% From Disposal | 1 | X |
| | 3.1 | Materials Reuse: 5% | 1 | X |
| | 3.2 | Materials Reuse: 10% | 1 | X |
| | 4.1 | Recycled Content: 10% | 1 | X |
| | 4.2 | Recycled Content: 20% | 1 | X |
| | 5.1 | Recycled Materials: 10% Extracted Processed & Manufactured Regional | 1 | X |
| | 5.2 | Regional Materials: 20% Extracted, Processed & Manufactured Regional | 1 | X |
| | 6 | Rapidly Renewable Materials | 1 | X |
| | 7 | Certified Wood | 1 | |
| Indoor Environmental Quality | Prereq1 | Minimum IAQ Performance | Required | X |
| | Prereq2 | Environmental Tobacco Smoke (ETS) Control | Required | X |
| | 1 | Outdoor Air Deliver Monitoring | 1 | X |
| | 2 | Increased Ventilation | 1 | X |
| | 3.1 | Construction IAQ Management Plan: During Construction | 1 | X |
| | 3.2 | Construction IAQ Management Plan: Before Occupancy | 1 | X |
| | 4.1 | Low-Emitting Materials: Adhesives & Sealants | 1 | X |
| | 4.2 | Low-Emitting Materials: Paints & Coatings | 1 | |
| | 4.3 | Low-Emitting Materials: Carpet Systems | 1 | |
| | 4.4 | Low-Emitting Materials: Composite Wood & A fiber Products | 1 | |
| | 5 | Indoor Chemical & Pollutant Source Control | 1 | |
| | 6.1 | Controllability Of Systems: Lighting | 1 | |
| | 7.1 | Controllability Of Systems: Thermal Comfort | 1 | X |
| | 7.2 | Thermal Comfort: Design | 1 | X |
| | 8.1 | Daylight & Views: Daylight 75% Of Spaces | 1 | X |
| | 8.2 | Daylight & Views: Views For 90% Of Spaces | 1 | X |
| Innovation In Design | 1.1 | Innovation in Design | 1 | X |
| | 1.2 | Innovation in Design | 1 | X |
| | 1.3 | Innovation in Design | 1 | X |
| | 1.4 | Innovation in Design | 1 | X |
| | 2 | LEED Accredited Professional | 1 | |

Total LEED Credit Points Avail = 69
Total LEED Prereq = 5

Total Credit Points & Prereqs That BLUEDUCT® Can Assist With = 39
CERTIFIED: 26-32 pts, SILVER: 33-38 pts, GOLD: 39-51 pts, PLATINUM: 52-69